


Recipients :	Stoneridge Importers' Network
Release date :	June 30, 2023
Update Purpose :	Initial release
Object :	Optimo SW version 7.1

The Optimo SW version 7.1.2000.4069 (DELL) and 7.1.3000.4069 (LINX) are released for distribution to all workshops. This is the June 2023 release and should only be applied to an Optimo<sup>2</sup> which is at SW revision 7.0.X000.4051. The unit will reboot itself at the end of the upgrade.

### Optimo<sup>2</sup> software version 7.1

The SW version 7.1.x000.4065 is distributed to Importers through the Importers Extranet. It runs the same Firmware version 02.11 and same Wireless interface Revision 5.3.2 as previous version 7.0:



Device Information	
Product revision	REV 02.11
Software checksum	B8-EC
Wireless Revision	5.3.2
Wireless Checksum	69-B2

This is the software version enabling DSRC module SW upgrading for the new SE5000 Smart 2 tachograph and allowing calibration of the new VDO4.1 recently Type-Approved.

1. **DSRC Configuration Station** - New icon on the desktop.

It allows to upgrade the FW of the current DSRC Modules, manufactured up to May 2023, to make them compatible with SMART2 tachographs:




To perform the upgrade:

1. Pull out the tachograph
2. Connect the Optimo directly to the truck A, C or C2-CAN via cable 801422
3. Turn the truck ignition ON
4. Launch the DSRC Config Station application
5. Press "Flash Firmware"

The upgrade will take less than 3 minutes. Once upgraded the [DSRC Module](#) will report the Type Approval Number **900620C**, as can be seen on the top right hand-side corner:

Parameter	Value	Parameter	Value
System supplier	Stoneridge	DSRC Type Approval Number	900620C
Manufacturing date	05/2023	Installation date	01/01/1970
Serial number	0232221250	DSRC CAN Address	7E
DSRC Serial Number	0232221250052309A2	DSRC Parameter Group Number	00EF00
Vehicle Manufacturer Hardware Number	000000000000	DSRC CAN Selection	Standard
Vehicle manufacturer spare part number		Software number	104384
Hardware number	900620	Flash Firmware	Available: 104384
Hardware version	/41R05		

2. **MKIII > Read & Modify** – VDO4.1 calibration availability. Optimo is now ready for the VDO 4.1 full calibration, including entering the new *By-default Load Type* calibration parameter.




3. **SE5000CS >** The retrofit *1B to 1C configurations* are now available for the Stoneridge SMART2 tachograph.



4. **SE5000CS >** UGC configurations READ-only is now available for OEM tachographs. Optimo 7.1 gives you the ability to read and export the configurations from the OEM tachographs. However, as usual, you cannot program an OEM unit.



5. **VUandCardDownload** > User interface and speed improvements for the VU downloads. There is no speed selection required anymore:



6. **WIFI** > Windows WIFI driver is updated for LINX tablet to help connecting with workshop routers.

